




CHAT VACCINATION SITES

1957-1960

FIRST APPEARANCES OF GROUP M-RELATED AIDS

UP TO AND INCLUDING 1979

CHAT vaccination sites and first appearances of AIDS in Africa, mapped on a continental scale



Vaccination sites (in chronological order):

A 18000	B 2000	C 3000	D 14500	E 4000	F 500	G 2500	H 215500	I 4000	J 5000
K 76000	L ?	M 10000	N 2000	O 6000	P 6000	Q 10000	H ?	S 2500	T ?
TT 137500	U ?	V ?	W ?	X ?	Y 321000	Z ?			

Total vaccinees: 840,000 plus unknown number vaccinated in eight further trials - in reality, circa 1,000,000

● Vaccination sites  
(1957 - 1960)

□ Numbers of HIV-1-related AIDS cases  
(through 1980)

Fig. 2 - CHAT vaccination sites and first appearances of AIDS in Africa, mapped on a regional scale.





fig 3.PIC

Figure 5: Enlarged extract from article in Leopoldville newspaper, "L'Avenir", August 9, 1958

**APPLICATION  
AU CONGO  
DU NOUVEAU  
VACCIN  
(ANTIPOLYO)  
DU Dr  
KOPROWSKI**

le même mécanisme tissulaire que celui qui conduit à l'immunisation spontanée. Le vaccin a été préparé à Elisabethville par le Wistar-Institute et est contrôlé au point de vue de son efficacité et de son innocuité, par le laboratoire de Stanleyville.



g 6.PIC